

Best Available Copy

AMENDMENTS TO THE CLAIMS

The following listing of claims will replace all prior versions and listings of claims in the application.

LISTING OF CLAIMS

1. (currently amended) A filter system having at least two filter elements for use in an electronic equipment enclosure comprising:
 - an air flow path formed through said enclosure;
 - a first HEPA filter element mounted to said enclosure such that air in said air flow path moves through said first filter element; and
 - a second water vapor filter element mounted to said enclosure downstream of said first filter element such that air in said flow path passing through said first filter element thereafter passes through said second filter element, said first filter element ~~structured to protect~~ extending ~~said second filter element~~ and extending the useful life of said second filter element.
2. (canceled)
3. (canceled)
4. (currently amended) The system as claimed in claim 1 wherein:
 - said first filter element is ~~structured to be easier to clean than said second filter element~~ cleanable.
5. (original) The system as claimed in claim 1 wherein:
 - said first filter element is positioned for easier access than said second filter element.
6. (canceled)

Best Available Copy

7. (canceled)
8. (canceled)
9. (canceled)
10. (original) The system as claimed in claim 1 wherein:
said second filter element is a PTFE filter element.
11. (canceled)
12. (canceled)
13. (canceled)
14. (canceled)
15. (canceled)
16. (canceled)
17. (canceled)
18. (original) The system as claimed in claim 1 including:
a sensor for indicating that said first filter element should be cleaned or replaced.
19. (original) The system as claimed in claim 1 including:
a sensor mounted to said housing for monitoring air flow resistance along said air flow path and for providing a signal indicating a predetermined resistance to air flow along said air flow path; and
a control mounted to said housing and responsive to said signal for altering the operation of a fan creating said air flow.
20. (original) The system as claimed in claim 19 wherein:
said control causes said fan to increase rotational velocity to attempt clearing any clogging of said filter elements.

Best Available Copy

21. (original) The system as claimed in claim 20 wherein:

said control causes said fan to reverse rotational direction.

22. (original) The system as claimed in claim 21 wherein:

said control causes said fan to increase rotational velocity before reversing rotational direction.

23. (original) The system as claimed in claim 22 wherein:

said control cycles said fan between increasing rotational velocity and reversing rotational direction.

24. (canceled)

25. (original) The system as claimed in claim 24 wherein:

said first filter element is positioned for easier access than said second filter element.

26. (currently amended) The system as claimed in claim 24 wherein:

said first filter element is ~~structured to be easier to clean than said second filter element~~ cleanable.

27. (new) An electronic equipment enclosure comprising:

a HEPA filter for filtering particulate matter from air; and

a water vapor filter positioned downstream of the HEPA filter such that air passing through the HEPA filter subsequently passes through the water vapor filter for removing water vapor from the air.

28. (new) The enclosure of claim 27 wherein the water vapor filter comprises PTFE.

Best Available Copy

29. (new) The enclosure of claim 27 wherein the HEPA filter is substantially incapable of filtering water vapor.
30. (new) The enclosure of claim 27 further comprising a fan for forcing air through the HEPA filter and the water vapor filter.
31. (new) The enclosure of claim 30 further comprising a control for said fan.
32. (new) The enclosure of claim 31 wherein the control is configured to selectively increase a rotational velocity of the fan in an effort to clear at least one of the HEPA filter and the water vapor filter.
33. (new) The enclosure of claim 31 wherein the control is configured to selectively reverse a rotational direction of the fan in an effort to clear at least one of the HEPA filter and the water vapor filter.
34. (new) The enclosure of claim 33 wherein the control is configured to increase a rotational velocity of the fan in an effort to clear at least one of the HEPA filter and the water vapor filter before reversing the rotational direction of the fan in an effort to clear at least one of the HEPA filter and the water vapor filter.
35. (new) The enclosure of claim 34 wherein the control is configured to cycle between increasing the rotational velocity of the fan and reversing the rotational direction of the fan.
36. (new) The enclosure of claim 27 wherein the HEPA filter can be removed and replaced independently of the water vapor filter.
37. (new) The enclosure of claim 27 wherein the HEPA filter is cleanable.
38. (new) The enclosure of claim 27 wherein the HEPA filter is positioned for easier access than the water vapor filter.

39. (new) A method of using the electronic equipment enclosure of claim 27, the method comprising positioning the electronic equipment enclosure in an outdoor environment.

Best Available Copy